

# **BLANK PAGE**



IS: 5981 - 1986

# Indian Standard SPECIFICATION FOR SLEEKERS FOR USE IN FOUNDRIES ( First Revision )

UDC 621:744:075



@ Copyright 1986

INDIAN STANDARDS INSTITUTION MANAK BHAVAN, 9 BAHADUR SHAH ZAFAR MARG NEW DELHI 110002

# Indian Standard

# SPECIFICATION FOR SLEEKERS FOR USE IN FOUNDRIES

# ( First Revision )

### Foundry Sectional Committee, SMDC 17

Chairman

Representing

DR.S. S. KHANNA

National Institute of Foundry & Force Technology, Ranchi

### Members

SHRI M. M. C. AGARWAL

Heavy Engineering Corporation Ltd, Ranchi

SHRI A. K. BANERJEE ( Alternate ) SHRI S. CHAUBEY

Steel Authority of India Ltd (Rourkela Steel

Plant), Rourkela

SHRI U. MISHRA ( Alternate)

SHRI K. L. CHAUDHARY

Tata Engineering & Locomotive Co Ltd.

Jamshedpur

SHRI A. BHATTACHARJEE ( Alternate )

The Institute of Indian Foundrymen, Calcutta

SHRI S. H. COMMISSARIAT SHRI R. P. VARSHNEY ( Alternate )

HMT Ltd, Bangalore

SHRI K. A. GANDHI

SHRI H. S. RAMACHANDRA (Alternate I)

SHRI A. SHANTHARAM ( Alternate II ) SHRI P. P. CHOPRA ( Alternate III )

SHRI R. M. GORANE Kirloskar Brothers, Kirloskarvadi

SHRI D. M. DABAK ( Alternate )

SHRI H. N. SINGH Indian Iron & Steel Co Ltd, Calcutta

SHRI R. N. MUKHERJEE ( Alternate )

SHRI P. L. JAIN

National Institute of Foundry Forge

Technology, Ranchi

SHRI K. KISHORE ( Alternate )

Shri L. M. Joshi

SHRI S. S. KHOSLA

Delhi Cloth & General Mills Co Ltd, Delhi Directorate General of Technical Development,

New Delhi

SHRI S. V. BOPARDIKAR ( Alternate )

( Continued on page 2 )

### Copyright 1986

### INDIAN STANDARDS INSTITUTION

This publication is protected under the Indian Copyright Act (XIV of 1957) and reproduction in whole or in part by any means except with written permission of the publisher shall be deemed to be an infringement of copyright under the said Act.

### IS: 5981 - 1986

(Continued from page 1)

Members

Representing

DR R. LALITH KUMAR SHRIY. C. MISHRA

Indian Institute of Technology, Kharagpur Cooper Engineering Ltd, Satara

SHRI M. L. NAVARE

N. V. C. MISHINA
SHRI A. K. BANERJEE (Alternate)
Versatile Equipments Private Ltd, Kolhapur

DR G. N. RAO

National Metallurgical Laboratory (CSIR), Jamshedpur

REPRESENTATIVE

SHRI N. R. NAGARAJ RAO

M. M. Suri & Associates (P) Ltd, New Delhi Steel Authority of India Ltd (Bhilai Steel Plant), Bhilai

SHRI R. R. SARAN ( Alternate )

SHRI T. S. VENKOBA RAO

Ennore Foundries Ltd, Madras

SHRI M. P. PONNUSWAMY ( Alternate )

SHRI R. N. SAHA

Directorate General of Supplies & Disposals. New Delhi

SHRI DARBARA SINGH ( Alternate )

PROF K. S. SREENIVASA MURTHY

Indian Institute of Science, Bangalore

PROF S. SESHAN ( Alternate ) SENIOR CHEMIST & METALLURGIST, Ministry of Railways

CLW, CHITTARANJAN

CHEMIST & METALLURGIST,

(SF), CLW, CHITTARANJAN (Alternate I)

CHEMIST & METALLURGIST, NF

RLY, NEW BONGAIGAON (Alternate II) Shri V. N. Sunderrajan M. N. I M. N. Dastur & Co Ltd, Calcutta

SHRI S. THIYAGARAJAN Sourthern Alloy Foundries Pvt Ltd, Madras

SHRI A. THANGAVELU (Alternate)

Pioneer Equipment Co Pvt Ltd, Vadodara SHRI THOMAS PAUL

SHRI C. BHASKARAN ( Alternate ) SHRI V. N. UPADHAYAYA

Federation of Engineering Industries of India, New Delhi

SHRI H. L. BHARDWAJ ( Alternate )

SHRI NAND LAL VARMA Ínternational Steel Fabricators, Bombay SHRI RAJESH KUMAR VARMA ( Alternate )

SHRI K. RAGHAVENDRAN.

Director General, ISI (Ex-officio Member)

Director (Struc & Met)

Secretaries

SHRI A. B. TEWARI Deputy Director (Metals), ISI SHRI S. K. PANJA

Assistant Director (Metals), ISI

Foundry Ancillary Equipment Subcommittee, SMDC 17:2

Convener

SHRI P. L. JAIN

Institute of Foundry National & Forge Technology, Ranchi

Members

SHRI J. N. BHAKTA

Development Commissioner (Small Scale Industries ), New Delhi

SHRI D. M. BIRADAR

The Institute of Indian Foundrymen, Calcutta

(Continued on page 8)

# Indian Standard

# SPECIFICATION FOR SLEEKERS FOR USE IN FOUNDRIES

# (First Revision)

### 0. FOREWORD

- 0.1 This Indian Standard (First Revision) was adopted by the Indian Standards Institution on 27 January 1986, after the draft finalized by the Foundry Sectional Committee had been approved by the Structural and Metals Division Council.
- 0.2 This standard was first published in 1970. While reviewing this standard in the light of the experience gained during these years, the Sectional Committee decided to revise it with the following main modifications:
  - a) Material requirement has been modified,
  - b) Reference to hard chromium coating on sleekers has been deleted, and
  - c) The hardness range has also been modified.
- 0.3 For the purpose of deciding whether a particular requirement of this standard is complied with, the final value, observed or calculated, expressing the result of a test or analysis, shall be rounded off in accordance with IS: 2-1960\*. The number of significant places retained in the rounded off value should be the same as that of the specified value in this standard.

### 1. SCOPE

1.1 This standard covers the requirements for sleekers used as trimming tools, for use in foundries.

### 2. SUPPLY OF MATERIAL

2.1 General requirements relating to the supply of sleekers shall be as laid down in IS: 1918-1966†.

<sup>\*</sup>Rules for rounding off numerical values (revised).

<sup>†</sup>Methods of physical tests for foundry sands.

### 3. TYPE OF SLEEKERS

- 3.1 Sleekers shall be of the following two types as shown in Table 1.
  - a) Straight sleekers, Type A, and
  - b) Form sleekers, Type B.

### 4. DIMENSIONS AND TOLERANCES

- 4.1 Dimensions of Type A sleekers shall be as given in Table 1 and Type B sleekers shall be as given in Table 2.
- **4.2** Tolerances on dimensions as specified above shall meet the requirements of Grade 1 T 14 of IS: 919 (Part 1)-1963\*.

### 5. DESIGNATION

5.1 Type A sleekers of length 125 mm and end width 16 mm having an angle of 30° shall be designated as:

Sleeker A 30-125 IS: 5981

5.2 Type B sleekers shall be designated by their total length and the angle, for example: sleeker of length 125 mm and handle length 60 mm shall be designated as:

Sleeker B-125 IS: 5981

### 6. MATERIAL

6.1 Sleekers shall be manufactured by forging iron and medium carbon steel of Class 5 as per IS: 1875-1978†.

### 7. HARDNESS

7.1 The hardness of the sleekers after heat treatment (hardened and tempered) shall be in the range of 233-258 HV.


### 8. FREEDOM FROM DEFECTS

- 8.1 Surfaces of the heat-treated sleekers shall be free from cracks, burrs, scales, rust, etc.
- 8.2 Sleekers shall also be free from harmful internal defects.

<sup>\*</sup>Recommendations for limits and fits for engineering: Part 1 General engineering (first revision).

<sup>†</sup>Specification for carbon steel billets, blooms, slabs and bars for forgings (fourth revision).

TABLE 1 DIMENSION OF TYPE A, STRAIGHT SLEEKERS (Clause 4.1)



All dimensions in millimetres.

L	ı	l <sub>1</sub>	b	s	S <sub>1</sub>	а	r	r <sub>1</sub>	r <sub>2</sub>	l 2
125	32	25	16	1.6		_	60	8	20	78·5
160	50	32	<b>2</b> 0	1.6	1	5	80	· 10	25	90
200	<b>6</b> 0	40	32	2.0	1.6	6	100	16	32	115.5

(Clause 4.1)

IR

S1

PLACE FOR MARKING

S1

PLACE FOR MARKING

TABLE 2 DIMENSIONS OF TYPE B, FORM SLEEKERS

All dimensions in millimetres.

L	1	r	ь	$b_1$	S	$S_1$	а
125	60	32.5	10	8	1.6	1.0	5
160	80	40.0	16	10	2.0	1.6	6
200	100	50.0	20	12	2.5	2.0	7

### 9. PACKING

- 9.1 Each sleeker shall be coated with a thin film of rust preventive oil and wrapped separately in moisture proof paper.
- 9.2 Sleekers of same type and size shall be packed in cartons containing twelve instruments. Cartons shall be glued and reinforced with strips. Cartons shall be packed in wooden boxes weighing not more than 50 kg overall.

### 10. MARKING

10.1 Each sleeker shall be marked clearly with the manufacturer's name or trade-mark, manufacturing date and the designation of the tool.

10.1.1 Cartons and boxes shall also be marked with the information given under 10.1.

### 10.2 It may also be marked with the ISI Certification Mark.

Note—The use of the ISI Certification Mark is governed by the provisions of the Indian Standards Institution (Certification Marks) Act and the Rules and Regulations made thereunder. The ISI Mark on products covered by an Indian Standard conveys the assurance that they have been produced to comply with the requirements of that standard under a well-defined system of inspection, testing and quality control which is devised and supervised by ISI and operated by the producer. ISI marked products are also continuously checked by ISI for conformity to that standard as a further safeguard. Details of conditions under which a licence for the use of the ISI Certification Mark may be granted to manufacturers or processors, may be obtained from the Indian Standards Institution.

### IS: 5981 - 1986

### (Continued from page 2)

SHRI C. BHASKARAN ( Alternate )

Members Representing SHRI T. K. CHANDA Tata Engineering & Locomotive Co Ltd. Tamshedpur SHRI I. S. SAGU ( Alternate ) SHRID. K. DUTTA Ordnance Factory (Ministry of Defence ). Muradnagar SHRI O. P. KHURANA ( Alternate ) SHRI G. G. LONDHE Premier Automobile Ltd. Bombay SHRI M. L. NAVARE Versatile Equipments Pvt Ltd. Kolhapur SHRI SUBHASH KULKARNI (Alternate) SHRI S. P. NATARAJAN Ennore Foundries Ltd. Madras SHRI V. S. KANDASWAMY ( Alternate ) SHRI P. K. PANDA National Institute of Foundry & Forge Technology, Ranchi SHRI D. PANDURAMGAM Setty Associates Pvt Ltd, Madras SHRI P. RAJEHEKARAN ( Alternate ) Pioneer Equipment Co Pvt Ltd, Vadodara SHRI THOMAS PAUL



# INDIAN STANDARDS INSTITUTION

## Headquartere:

Inspection Offices (With Sale Point):

Princep Street, Calcutta 700072

**NAGPUR 440010** 

Bombay 400007

Pushpanjali 205-A West High Court Road , Bharampeth Extension,

\*Sales Office in Bombay is at Novelty Chambers, Gran (Road,

†Sales Office in Calcutta is at 5 Chowringhee Approach, P. O.

Institution of Engineers (India) Building, 1332 Shivaji Nagar, PUNE 411005

Telephones: 331 01 31, 331 13 75	legrams: Manaksanstha
	(Common to all Offices)
Regional Officea:	Telephone
*Western : Manakalaya, E9 MIDC, Marol, Andherl (East), BOMBAY 400093	8 32 92 95
†Eastern : 1/14 C.I.T. Scheme VII M, V.I.P. Road, Manikto CALCUTTA 780054	la, \$6 24 99
Northern: SCO 445-446, Sector 35-C,	ſ 2 18 43
CHANDIGARH 160036	1 8 16 41
Southern : C.I.T. Campus, MADRAS 600113	{ 41 24 42 41 25 19 41 29 16
Branch Offices:	
'Pushpak', Nurmohamed Shalkh Marg, Khanpur, AHMADA	BAD 380001 { 2 63 48 2 63 49
"F' Block, Unity Bidg, Narasimharaja Square, BANGALORE	560002 22 48 05
Gangotri Complex, 5th Floor, Bhadbhada Road, T. T. Naga BHOPAL 462003	r, 6,6716
Plot No. 82/83, Lewis Road, BHUBANESHWAR 751002	5 36 27
53/5, Ward No. 29, R. G. Barua Road, 5th Byelane, GUWAH	HATI 781003
5-8-56C L. N. Gupta Morg (Nampally Station Road), HYDER	ABAD 500001 23 10 83
R14 Yudhister Marg, C Scheme, JAIPUR 302005	{ 6 34 71 6 98 32
117/418 B Sarvodaya Nagar, KANPUR 208005	{ 21 68 76 21 82 92
Patilputra Industrial Estate, PATNA 800013	6 23 05
Hantex Bidg (2nd Floor), Rly Station Road, TRIVANDRUM	695001 7 66 37

Manak Bhavan, 9 Bahadur Shah Zafar Marg, NEW DELHI 110002

2 51 71

5 24 35

89 65 28

27 68 00